

TOPOGRAPHIC MAP OF BOLINAS LAGOON MARIN COUNTY, CALIFORNIA	DATE OF PHOTOGRAPHY JULY 1, 1988
	SHEET INDEX
Towill, Inc. 301 MISSION ST. SAN FRANCISCO, CA. 94108	PREPARED FOR MARIN COUNTY OPEN SPACE DISTRICT MARIN COUNTY CIVIC CENTER SAN RAFAEL, CALIFORNIA 94903

1000 0 1000 2000 3000 4000
SCALE IN FEET



△ 119 9.49 — HORIZONTAL & VERTICAL CONTROL
 ○ 128 6.51 — VERTICAL CONTROL POINT
 5.8 — SPOT ELEVATION (DECIMAL PT. LOCATION)
 -2- — PHOTO CENTER
 + — POWER POLE
 * — LIGHT
 ○ — POST, STANDPIPE, ETC.
 OT — TANK
 — TREE OR BRUSH COVER

— RETAINING WALL
 — WALL, CURB
 — FENCE
 — CULTIVATION
 — TRAIL
 — DIRT ROAD
 — PAVED ROAD
 — SIDEWALK
 — CULVERT, BRIDGE

— BUILDING
 — FOUNDATION, SLAB, RUIN
 — ROCKS
 — WATER LINE
 — INDEX CONTOUR
 — INTERMEDIATE CONTOUR
 — CONTOURS UNDER VEGETATION OR WATER
 — CONTOUR DEPRESSION

NOTE:
 IN OPEN UNOBSTRUCTED AREAS THIS MAP COMPLIES WITH
 NATIONAL STANDARDS FOR MAP ACCURACY.
 IN AREAS WHERE THE GROUND IS
 OBSCURED FROM VIEW, CONTOURS MAY DEVIATE FROM
 CORRECT ELEVATION BY ONE HALF THE HEIGHT OF THE COVER.
 GRID IS BASED ON CALIFORNIA COORDINATE SYSTEM, ZONE 3. CGF = 0.999933.
 FIELD SURVEY CONTROL BY TOWILL INC.
 ELEVATIONS ARE BASED ON 1929 N.G.V.D.

100 0 100 200 300 400
 SCALE IS FEET


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19

SHEET INDEX



TOPOGRAPHIC MAP OF
BOLINAS LAGOON
MARIN COUNTY, CALIFORNIA

DATE OF PHOTOGRAPHY JULY 1, 1988
CONTOUR INTERVAL ONE AND TWO FEET
SHEET 1 OF 19
TOWILL, INC. 301 MISSION ST. SAN FRANCISCO, CA. 94103
MARIN COUNTY OPEN SPACE DISTRICT MARIN COUNTY CIVIC CENTER SAN RAFAEL, CALIFORNIA 94903



△ H 9.49 — HORIZONTAL & VERTICAL CONTROL
 ○ 128 6.51 — VERTICAL CONTROL POINT
 S.8 — SPOT ELEVATION (DECIMAL PT. LOCATION)
 ->- 2-6 — PHOTO CENTER
 — POWER POLE
 * — LIGHT
 o — POST, STANDPIPE, ETC.
 OT — TANK
 ☽ — TREE OR BRUSH COVER

— Y — RETAINING WALL
 — — WALL,CURB
 — — FENCE
 ☱ — ROCKS
 — — CULTIVATION
 — — WATER LINE
 — — TRAIL
 — — DIRT ROAD
 — — PAVED ROAD
 — — SIDEWALK
 — — CULVERT, BRIDGE

NOTE:
 IN OPEN UNOBSTRUCTED AREAS THIS MAP COMPLIES WITH
 NATIONAL STANDARDS FOR MAP ACCURACY.
 IN AREAS OF DENSE VEGETATION WHERE THE GROUND IS
 OBSCURED FROM VIEW, CONTOURS MAY DEVIATE FROM
 CORRECT ELEVATION BY ONE HALF THE HEIGHT OF THE COVER.
 GRID IS BASED ON CALIFORNIA COORDINATE SYSTEM, ZONE 3. CGF = 0.999935.
 FIELD SURVEY CONTROL BY TOWILL INC.
 ELEVATIONS ARE BASED ON 1929 N.G.V.D.

100 0 100 200 300 400
 SCALE IN FEET

I	1
2	3
4	5
6	7
8	9
10	11
12	13
14	15
16	
17	
18	
19	


SHEET INDEX

TOPOGRAPHIC MAP OF
BOLINAS LAGOON
 MARIN COUNTY, CALIFORNIA

Towill, Inc.

DATE OF PHOTOGRAPHY JULY 1, 1988
CONTOUR INTERVAL ONE AND TWO FEET
SHEET 2 OF 19
PREPARED FOR MARIN COUNTY OPEN SPACE DISTRICT MARIN COUNTY CIVIC CENTER SAN RAFAEL, CALIFORNIA 94903





△ 119 9.49	HORIZONTAL & VERTICAL CONTROL
○ 128 6.51	VERTICAL CONTROL POINT
5.8	SPOT ELEVATION (DECIMAL PT. LOCATION)
-2-6	PHOTO CENTER
◆	POWER POLE
*	LIGHT
○	POST, STANDPIPE, ETC.
OT	TANK
clouds	TREE OR BRUSH COVER

—	RETAINING WALL
—	BUILDING
—	WALL, CURB
—	FOUNDATION, SLAB, RUIN
—	FENCE
—	ROCKS
—	CULTIVATION
—	WATER LINE
—	TRAIL
—	INDEX CONTOUR
—	DIRT ROAD
—	PAVED ROAD
—	SIDEWALK
—	SIDEWALK
—	CULVERT, BRIDGE
—	CULVERT, BRIDGE
—	CONTOUR DEPRESSION

NOTE:
IN OPEN UNOBSTRUCTED AREAS THIS MAP COMPLIES WITH
NATIONAL STANDARDS FOR MAP ACCURACY.
IN AREAS OF DENSE VEGETATION WHERE THE GROUND IS
OBSCUDED FROM VIEW, CONTOURS MAY DEVIATE FROM
CORRECT ELEVATION BY ONE HALF THE HEIGHT OF THE COVER.
GRID IS BASED ON CALIFORNIA COORDINATE SYSTEM, ZONE 3. CGF = 0.999933
FIELD SURVEY CONTROL BY TOWILL INC.
ELEVATIONS ARE BASED ON 1929 N.G.V.D.

100 0 100 200 300 400
SCALE IN FEET

1	2	3
4	5	
6	7	
8	9	
10	11	
12	13	
14	15	
16		
17		
18		
19		

SHEET INDEX



TOPOGRAPHIC MAP OF BOLINAS LAGOON MARIN COUNTY, CALIFORNIA	DATE OF PHOTOGRAPHY JULY 1, 1988
CONTOUR INTERVAL ONE AND TWO FEET	
SHEET 4 OF 19	
Towill, Inc. 301 MISSION ST. SAN FRANCISCO, CA. 94108	PREPARED FOR MARIN COUNTY OPEN SPACE DISTRICT MARIN COUNTY CIVIC CENTER SAN RAFAEL, CALIFORNIA 94903



△ 119 9.49 — HORIZONTAL & VERTICAL CONTROL
 ○ 128 6.51 — VERTICAL CONTROL POINT
 5.8 — SPOT ELEVATION (DECIMAL PT. LOCATION)
 2-6 — PHOTO CENTER
 + — POWER POLE
 * — LIGHT
 o — POST, STANDPIPE, ETC.
 OT — TANK
 — TREE OR BRUSH COVER

— RETAINING WALL
 — WALL, CURB
 — FENCE
 — CULTIVATION
 — TRAIL
 — DIRT ROAD
 — PAVED ROAD
 — SIDEWALK
 — CULVERT, BRIDGE

— BUILDING
 — FOUNDATION, SLAB, RUIN
 — ROCKS
 — WATER LINE
 — INDEX CONTOUR
 — INTERMEDIATE CONTOUR
 — CONTOURS UNDER VEGETATION OR WATER
 — CONTOUR DEPRESSION

NOTE:
 IN OPEN UNOBSTRUCTED AREAS THIS MAP COMPLIES WITH
 NATIONAL STANDARDS FOR MAP ACCURACY.
 IN AREAS OF OBSTRUCTION WHERE THE GROUND IS
 OBSCURED FROM VIEW, CONTOUR MAY DEVIATE FROM
 CORRECT ELEVATION BY ONE HALF THE HEIGHT OF THE COVER.
 GRID IS BASED ON CALIFORNIA COORDINATE SYSTEM, ZONE 3. CGF = 0.999933
 FIELD SURVEY CONTROL BY TOWILL INC.
 ELEVATIONS ARE BASED ON 1929 N.G.V.D.


100 0 100 200 300 400
 SCALE IN FEET

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19

SHEET INDEX

TOPOGRAPHIC MAP OF
BOLINAS LAGOON
MARIN COUNTY, CALIFORNIA

Towill, Inc.	DATE OF PHOTOGRAPHY JULY 1, 1988
	CONTOUR INTERVAL ONE AND TWO FEET
	SHEET 6 OF 19
	PREPARED FOR MARIN COUNTY OPEN SPACE DISTRICT SAN RAFAEL, CALIFORNIA 94903



△ 119
9.49 — HORIZONTAL & VERTICAL CONTROL
 ○ 128
6.91 — VERTICAL CONTROL POINT
 5.8 — SPOT ELEVATION (DECIMAL PT.LOCATION)
 - - - - - — PHOTO CENTER
 - - - - - — POWER POLE
 * — LIGHT
 ○ — POST, STANDPIPE, ETC.
 OT — TANK
 - - - - - — TREE OR BRUSH COVER

— RETAINING WALL
 — FENCE
 — CULTIVATION
 — TRAIL
 — DIRT ROAD
 — PAVED ROAD
 — SIDEWALK
 — CULVERT, BRIDGE
 — BUILDING
 — FOUNDATION, SLAB, RUIN
 — ROCKS
 — WATER LINE
 — INDEX CONTOUR
 — INTERMEDIATE CONTOUR
 — CONTOURS UNDER VEGETATION OR WATER
 — CONTOUR DEPRESSION

NOTE:
 IN OPEN UNOBSTRUCTED AREAS THIS MAP COMPLIES WITH
 NATIONAL STANDARDS FOR MAP ACCURACY.
 IN AREAS OF DENSE VEGETATION WHERE THE GROUND IS
 OBSCURED FROM VIEW, CONTOURS MAY DEVIATE FROM
 CORRECT ELEVATION BY ONE HALF THE HEIGHT OF THE COVER.
 GRID IS BASED ON CALIFORNIA COORDINATE SYSTEM, ZONE 3. CGF = 0.999933
 FIELD SURVEY CONTROL BY TOWILL INC.
 ELEVATIONS ARE BASED ON 1929 N.G.V.D.

100 0 100 200 300 400
 SCALE IN FEET

1	
2	3
4	5
6	7
8	9
10	11
12	13
14	15
16	
17	
18	
19	

SHEET INDEX




TOPOGRAPHIC MAP OF
BOLINAS LAGOON
MARIN COUNTY, CALIFORNIA

DATE OF PHOTOGRAPHY
JULY 1, 1988
CONTOUR INTERVAL
ONE AND TWO FEET
SHEET 8 OF 19

Towill, Inc.
301 MISSION ST. SAN FRANCISCO, CA. 94108

PREPARED FOR
MARIN COUNTY OPEN SPACE DISTRICT
MARIN COUNTY CIVIC CENTER
SAN RAFAEL, CALIFORNIA 94903



△ 119
9.49 — HORIZONTAL & VERTICAL CONTROL
 ○ 128
6.51 — VERTICAL CONTROL POINT
 5.8 — SPOT ELEVATION (DECIMAL PT.LOCATION)
 2-6 — PHOTO CENTER
 — POWER POLE
 * — LIGHT
 ○ — POST, STANDPIPE, ETC.
 OT — TANK
 — TREE OR BRUSH COVER

— RETAINING WALL
 — BUILDING
 — FOUNDATION, SLAB, RUIN
 — ROCKS
 — CULTIVATION
 — WATER LINE
 — INDEX CONTOUR
 — INTERMEDIATE CONTOUR
 — CONTOURS UNDER VEGETATION OR WATER
 — CULVERT, BRIDGE
 — CONTOUR DEPRESSION

NOTE:
 IN OPEN UNOBSTRUCTED AREAS THIS MAP COMPLIES WITH
 NATIONAL STANDARDS FOR ACCURACY
 IN AREAS OF DENSE VEGETATION WHERE THE GROUND IS
 OBSCURED FROM VIEW, CONTOURS MAY DEVIATE FROM
 CORRECT ELEVATION BY ONE HALF THE HEIGHT OF THE COVER
 GRID IS BASED ON CALIFORNIA COORDINATE SYSTEM, ZONE 3. CGF = 0.999933
 FIELD SURVEY CONTROL BY TOWILL INC.
 ELEVATIONS ARE BASED ON 1929 N.G.V.D.

100 0 100 200 300 400
 SCALE IN FEET

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19

SHEET INDEX



TOPOGRAPHIC MAP OF
BOLINAS LAGOON
MARIN COUNTY, CALIFORNIA

DATE OF PHOTOGRAPHY JULY 1, 1988
CONTOUR INTERVAL ONE AND TWO FEET
SHEET 10 OF 19

TOWILL, INC.
301 MISSION ST. SAN FRANCISCO, CA. 94103

MARIN COUNTY OPEN SPACE DISTRICT
MARIN COUNTY CIVIC CENTER
SAN RAFAEL, CALIFORNIA 94903



△ 119
9.49 — HORIZONTAL & VERTICAL CONTROL
 ○ 128
6.51 — VERTICAL CONTROL POINT
 5.8 — SPOT ELEVATION (DECIMAL PT.LOCATION)
 2-6 — PHOTO CENTER
 — POWER POLE
 — LIGHT
 ○ — POST, STANDPIPE, ETC.
 OT — TANK
 — TREE OR BRUSH COVER

— RETAINING WALL
 — WALL, CURB
 — FENCE
 — CULTIVATION
 — TRAIL
 — DIRT ROAD
 — PAVED ROAD
 — SIDEWALK
 — CULVERT, BRIDGE

A legend containing eight entries, each with a small line drawing of a terrain feature followed by its name: BUILDING, FOUNDATION, SLAB, RUIN, ROCKS, WATER LINE, INDEX CONTOUR, and INTERMEDIATE CONTOUR. Below these are two additional entries: CONTOURS UNDER VEGETATION OR WATER and CONTOUR DEPRESSION.

NOTE
IN OPEN UNOBSTRUCTED AREAS THIS MAP COMPLIES WITH
NATIONAL STANDARDS FOR MAP ACCURACY.
IN AREAS WHERE VEGETATION WHERE THE GROUND IS
OBSURED FROM VIEW, CONTOURS MAY DEVIATE FROM
CORRECT ELEVATION BY ONE HALF THE HEIGHT OF THE COVER.
GRID IS BASED ON CALIFORNIA COORDINATE SYSTEM, ZONE 3. CGF = 0.99.
FIELD SURVEY CONTROL BY TOWILL INC.
ELEVATIONS ARE BASED ON 1929 N.G.V.D.

A horizontal scale bar with tick marks at 100, 0, 100, 200, 300, and 400. The first 100 units are marked with small black dots, while the remaining 300 units are represented by a continuous black line.

		1
2		3
4		5
6		7
8		9
10		11
12		13
14		15
		16
		17
		18
		19




TOPOGRAPHIC MAP OF
BOLINAS LAGOON
MARIN COUNTY, CALIFORNIA

DATE OF PHOTOGRAPHY
JULY 1, 1988

CONTOUR INTERVAL
ONE AND TWO FEET

SHEET 12 OF 19

PREPARED FOR
MARIN COUNTY OPEN SPACE DISTRICT
MARIN COUNTY CIVIC CENTER
SAN RAFAEL, CALIFORNIA 94903



△ H9 9.49	HORIZONTAL & VERTICAL CONTROL	— Y —	RETAINING WALL
○ 128 6.51	VERTICAL CONTROL POINT	— — — — —	WALL,CURB
5.8	SPOT ELEVATION (DECIMAL PT.LOCATION)	— — — — —	FENCE
2-6	PHOTO CENTER	— — — — —	CULTIVATION
◆	POWER POLE	— — — — —	TRAIL
*	LIGHT	— — — — —	DIRT ROAD
○	POST, STANDPIPE, ETC.	— — — — —	PAVED ROAD
OT	TANK	====	SIDEWALK
	TREE OR BRUSH COVER	— — — — —	CULVERT, BRIDGE

□	BUILDING
□□	FOUNDATION,SLAB,RUIN
○	ROCKS
—	WATER LINE
— — —	INDEX CONTOUR
— — — — —	INTERMEDIATE CONTOUR
— — — — —	CONTOURS UNDER VEGETATION OR WATER
— — — — —	CONTOUR DEPRESSION

NOTE:
IN OPEN UNOBSTRUCTED AREAS THIS MAP COMPLIES WITH
NATIONAL STANDARDS FOR MAP ACCURACY.
IN AREAS OF DENSE VEGETATION WHERE THE GROUND IS
OBSCURED FROM VIEW, CONTOURS MAY DEVIATE FROM
CORRECT ELEVATION BY ONE HALF THE HEIGHT OF THE COVER.
GRID IS BASED ON CALIFORNIA COORDINATE SYSTEM, ZONE 3. CGF = 0.999955
FIELD SURVEY CONTROL BY TOWILL INC.
ELEVATIONS ARE BASED ON 1929 N.G.V.D.

100 0 100 200 300 400
SCALE IN FEET

1	
2	3
4	5
6	7
8	9
10	11
12	13
14	15
16	
17	
18	
19	

SHEET INDEX



TOPOGRAPHIC MAP OF
BOLINAS LAGOON
MARIN COUNTY, CALIFORNIA

Towill, Inc.
301 MISSION ST SAN FRANCISCO, CA. 94108

DATE OF PHOTOGRAPHY JULY 1, 1988	CONTOUR INTERVAL ONE AND TWO FEET
SHEET 14 OF 19	MARIN COUNTY OPEN SPACE DISTRICT MARIN COUNTY CIVIC CENTER SAN RAFAEL, CALIFORNIA 94903



△ 119
9.49 — HORIZONTAL & VERTICAL CONTROL
 ○ 128
6.51 — VERTICAL CONTROL POINT
 5.8 — SPOT ELEVATION (DECIMAL PT.LOCATION)
 2-6 — PHOTO CENTER
 + — POWER POLE
 * — LIGHT
 ○ — POST, STANDPIPE, ETC.
 OT — TANK
 — TREE OR BRUSH COVER

— RETAINING WALL
 — WALL,CURB
 — FENCE
 — CULTIVATION
 — TRAIL
 — DIRT ROAD
 — PAVED ROAD
 — SIDEWALK
 — CULVERT, BRIDGE

— BUILDING
 — FOUNDATION,SLAB,RUIN
 — ROCKS
 — WATER LINE
 — INDEX CONTOUR
 — INTERMEDIATE CONTOUR
 — CONTOURS UNDER VEGETATION OR WATER
 — CONTOUR DEPRESSION


NOTE:
 IN OPEN UNOBSTRUCTED AREAS THIS MAP COMPLIES WITH
 NATIONAL STANDARDS FOR MAP ACCURACY.
 IN AREAS OF DENSE VEGETATION WHERE THE GROUND IS
 OBSCURED FROM VIEW, CONTOURS MAY DEVIATE FROM
 CORRECT ELEVATION BY ONE HALF THE HEIGHT OF THE COVER.
 GRID IS BASED ON CALIFORNIA COORDINATE SYSTEM, ZONE 3. CGF = 0.999933
 FIELD SURVEY CONTROL BY TOWILL INC.
 ELEVATIONS ARE BASED ON 1929 N.G.V.D.

100 0 100 200 300 400
 SCALE IN FEET

1	2	3
4	5	
6	7	
8	9	
10	11	
12	13	
14	15	
16		
17		
18		
19		

SHEET INDEX

TOPOGRAPHIC MAP OF BOLINAS LAGOON MARIN COUNTY, CALIFORNIA	DATE OF PHOTOGRAPHY
	JULY 1, 1988
	CONTOUR INTERVAL ONE AND TWO FEET
SHEET 17 OF 19	SHEET 17 OF 19
Towill, Inc.	PREPARED FOR MARIN COUNTY OPEN SPACE DISTRICT MARIN COUNTY CIVIC CENTER SAN RAFAEL, CALIFORNIA 94103



△ H9 9.49 — HORIZONTAL & VERTICAL CONTROL
 ○ 128 6.51 — VERTICAL CONTROL POINT
 S.8 — SPOT ELEVATION (DECIMAL PT.LOCATION)
 -+--- 2-6 — PHOTO CENTER
 +— POWER POLE
 *— LIGHT
 o— POST, STANDPIPE, ETC.
 OT — TANK
 — TREE OR BRUSH COVER

— HORIZONTAL & VERTICAL CONTROL
 — VERTICAL CONTROL POINT
 — SPOT ELEVATION (DECIMAL PT.LOCATION)
 — PHOTO CENTER
 — POWER POLE
 — LIGHT
 — POST, STANDPIPE, ETC.
 — TANK
 — TREE OR BRUSH COVER

— RETAINING WALL
 — WALL, CURB
 — FENCE
 — ROCKS
 — CULTIVATION
 — WATER LINE
 — TRAIL
 — INDEX CONTOUR
 — DIRT ROAD
 — PAVED ROAD
 — SIDEWALK
 — CULVERT, BRIDGE

— BUILDING
 — FOUNDATION, SLAB, RUIN
 — ROCKS
 — CULTIVATION
 — WATER LINE
 — TRAIL
 — INDEX CONTOUR
 — DIRT ROAD
 — PAVED ROAD
 — SIDEWALK
 — CULVERT, BRIDGE

— CONTOURS UNDER VEGETATION OR WATER
 — CONTOUR DEPRESSION

NOTE:
 IN OPEN UNOBSTRUCTED AREAS THIS MAP COMPLIES WITH
 NATIONAL STANDARDS FOR MAP ACCURACY.
 IN AREAS OF OVERCAST CLOUDS WHERE THE GROUND IS
 OBSCURED FROM VIEW, CONTOURS MAY DEVIATE FROM
 CORRECT ELEVATION BY ONE HALF THE HEIGHT OF THE COVER.
 GRID IS BASED ON CALIFORNIA COORDINATE SYSTEM, ZONE 3. CGF = 0.999933
 FIELD SURVEY CONTROL BY TOWILL INC.
 ELEVATIONS ARE BASED ON 1929 N.G.V.D.

100 0 100 200 300 400
 SCALE IN FEET


1	
2	3
4	5
6	7
8	9
10	11
12	13
14	15
16	
17	
18	
19	

SHEET INDEX

TOPOGRAPHIC MAP OF
BOLINAS LAGOON
 MARIN COUNTY, CALIFORNIA

DATE OF PHOTOGRAPHY
 JULY 1, 1988
 CONTOUR INTERVAL
 ONE AND TWO FEET
 SHEET 18 OF 19
 Towill, Inc.
 PREPARED FOR
 MARIN COUNTY OPEN SPACE DISTRICT
 MARIN COUNTY CIVIC CENTER
 SAN RAFAEL, CALIFORNIA 94903





1	5
6	5
6	7
8	9
10	11
12	13
14	15
16	
17	
18	
19	

SHEET INDEX



TOPOGRAPHIC MAP OF BOLINAS LAGOON MARIN COUNTY, CALIFORNIA	DATE OF PHOTOGRAPHY JULY 1, 1988
CONTOUR INTERVAL ONE AND TWO FEET	
SHEET 19 OF 19	
TOWILL, INC. 301 MISSION ST. SAN FRANCISCO, CA. 94103	PREPARED FOR MARIN COUNTY OPEN SPACE DISTRICT MARIN COUNTY CIVIC CENTER SAN RAFAEL, CALIFORNIA 94903